

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| L1 | 30 | Ipc protocol or (low pin count) protocol | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/21 07:37 |
| L6 | 5 | (Ipc or (low pin count)) same (removable near3 (media or storage or memory or medium)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/21 07:40 |
| L7 | 211 | (Ipc or (low pin count)) and (removable near3 (media or storage or memory or medium)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/21 07:44 |
| L8 | 789 | (memory) near6 (unique or individual or exclusive) near6 (pin or pad or lead or contact) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/21 07:48 |
| L10 | 269 | (memory) near3 (unique or individual or exclusive) near3 (pin or pad or lead or contact) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/21 07:48 |
| L11 | 256 | (memory) near3 (unique or individual) near3 (pin or pad or lead or contact) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/21 07:48 |
| L12 | 142 | (memory) near3 (unique or individual) near3 (pin or lead) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/21 07:51 |
| L14 | 15 | (memory) near3 (unique or individual) near3 (pin or lead) and (memory card or pc card or smart card or memory stick or ic card) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/21 07:51 |
| S1 | 90 | lasser.in. | US-PGPUB; USPAT | ADJ | ON | 2005/07/15 08:16 |

| | | | | | | |
|-----|-------|---|---|-----|----|------------------|
| S4 | 165 | MENAHEM.in. | US-PGPUB; USPAT | ADJ | ON | 2005/07/14 16:39 |
| S5 | 23 | S1 and S4 | US-PGPUB; USPAT | ADJ | ON | 2005/07/14 16:40 |
| S6 | 1 | (memor\$3 and boot).clm. and S5 | US-PGPUB; USPAT | ADJ | ON | 2005/07/14 16:41 |
| S9 | 30122 | (memory or storage) and (boot\$3 or bootstrap\$4) and (operating system or OS) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 08:21 |
| S10 | 8101 | (memory or storage) same (boot\$3 or bootstrap\$4) same (operating system or OS) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 08:25 |
| S11 | 396 | ((memory or storage) same (boot\$3 or bootstrap\$4) same (operating system or OS)) and (executable near3 (memory or storage)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 08:55 |
| S12 | 94 | ((memory or storage) same (boot\$3 or bootstrap\$4) same (operating system or OS)) and (executable near3 (memory or storage)) and (USB or universal serial bus) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 08:29 |
| S13 | 90 | lasser.in. | US-PGPUB; USPAT | ADJ | ON | 2005/07/15 08:28 |
| S14 | 165 | MENAHEM.in. | US-PGPUB; USPAT | ADJ | ON | 2005/07/15 08:28 |
| S15 | 23 | S13 and S14 | US-PGPUB; USPAT | ADJ | ON | 2005/07/15 08:28 |
| S16 | 1 | (boot\$3).clm. and S15 | US-PGPUB; USPAT | ADJ | ON | 2005/07/15 08:28 |
| S17 | 56 | ((memory or storage) same (boot\$3 or bootstrap\$4) same (operating system or OS)) and (executable near3 (memory or storage)) and (USB or universal serial bus) and (((primary or first) and (secondary or second)) or plurality or multiple or many) near3 (memory or storage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 08:55 |

| | | | | | | |
|-----|------|--|--|-----|----|------------------|
| S19 | 6 | ((first or primary) and (second or secondary))(memory or storage) same (boot\$3 or bootstrap\$4) same (operating system or OS) and (executable near3 (memory or storage)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 08:58 |
| S20 | 185 | ((first or primary) and (second or secondary)) near3 (memory or storage) and (boot\$3 or bootstrap\$4) same (operating system or OS) and (executable near3 (memory or storage)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 08:59 |
| S23 | 16 | ((first or primary) and (second or secondary)) near3 (memory or storage) same (boot\$3 or bootstrap\$4) same (operating system or OS) and (executable near3 (memory or storage)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 09:01 |
| S24 | 4237 | ((first or primary) with executable with (memory or storage)) or ((second or secondary) with executable with (memory or storage)) same (boot\$3 or bootstrap\$4) same (OS or operating system) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 09:04 |
| S25 | 1049 | ((first or primary) near6 executable near6 (memory or storage)) or ((second or secondary) near6 executable near6 (memory or storage)) same (boot\$3 or bootstrap\$4) same (OS or operating system) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 09:05 |
| S26 | 5 | ((first or primary) near6 executable near6 (memory or storage)) and ((second or secondary) near6 executable near6 (memory or storage)) same (boot\$3 or bootstrap\$4) same (OS or operating system) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 09:05 |
| S27 | 40 | ((first or primary) near3 (memory or storage)) and ((second or secondary) near3 (memory or storage)) same (boot\$3 or bootstrap\$4) same (OS or operating system) and (executable near3 (memory or storage)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 09:10 |
| S28 | 34 | S27 not S17 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 09:06 |

| | | | | | | |
|-----|-----|---|--|-----|----|------------------|
| S29 | 94 | ((first or primary) near3 (memory or storage)) and ((second or secondary) near3 (memory or storage)) same (boot\$3 or bootstrap\$4) and (executable near3 (memory or storage)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 10:56 |
| S30 | 21 | ((first or primary) near3 (memory or storage)) and ((second or secondary) near3 (memory or storage)) same (boot\$3 or bootstrap\$4) same (executable near3 (memory or storage)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 09:56 |
| S31 | 94 | ((first or primary) near3 (memory or storage)) and ((second or secondary) near3 (memory or storage)) same (boot\$3 or bootstrap\$4) and (executable near3 (memory or storage)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 10:08 |
| S32 | 3 | ((first or primary) near3 (memory or storage)) and ((second or secondary) near3 (memory or storage)) same (boot\$3 or bootstrap\$4) and (executable near3 (memory or storage)) and (("no" or lack\$3 or "without" or "with out" or "with-out") near3 (BIOS or basic input output system)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 09:50 |
| S33 | 180 | (boot\$3 or bootstrap\$4) same (executable near3 (memory or storage)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 09:56 |
| S34 | 52 | ((first or primary) near3 (memory or storage)) and ((second or secondary) near3 (memory or storage)) same (boot\$3 or bootstrap\$4) and (executable near3 (memory or storage)) and (connect\$3 or link\$3) near4 (memory or storage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 10:11 |
| S36 | 71 | (executable near3 (memory or storage)) with (boot or bootstrap\$4 or boot strap\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/15 10:24 |
| S38 | 17 | 711/115.ccls. and 713/2.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 08:08 |

| | | | | | | |
|-----|-----|---|---|-----|----|------------------|
| S40 | 51 | external BIOS or external basic input output system | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 08:08 |
| S48 | 12 | removable (media or storage or medium) with (usb or universal serial bus) and (usb controller or universal serial bus controller) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 09:17 |
| S49 | 2 | removable (disk) with (usb or universal serial bus) and (usb controller or universal serial bus controller) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 09:17 |
| S50 | 273 | removable (disk or disc or media or storage or medium) with (usb or universal serial bus) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 09:24 |
| S52 | 30 | removable (disk or disc or media or storage or medium) with (usb or universal serial bus) and (usb near3 controller or universal serial bus near3 controller) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 09:38 |
| S53 | 31 | API near3 (usb or universal serial bus) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 09:33 |
| S54 | 996 | (usb or universal serial bus) near3 (speed) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 09:34 |
| S55 | 17 | (usb or universal serial bus) near3 (speed) near6 (benefit or advantage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 09:34 |



| | | | | | | |
|-----|-------|---|---|-----|----|------------------|
| S56 | 87 | (usb or universal serial bus) near3 faster | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 09:39 |
| S57 | 32206 | (pin or lead) same (connect\$3 or link\$3) same memory | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 13:14 |
| S58 | 267 | (pin or lead) same (connect\$3 or link\$3) same (first memory and second memory) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 10:01 |
| S59 | 30 | (pin or lead) same (connect\$3 or link\$3) same (first memory and second memory) same (host or computer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 10:02 |
| S60 | 979 | (pin or lead) with (connect\$3 or link\$3) with (memory or storage) with (host or computer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 10:07 |
| S61 | 49 | (pin or lead) with (connect\$3 or link\$3) with (host or computer) with (plurality or multiple or many) near3 (memory or storage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 10:07 |
| S62 | 894 | boot code with (memory or storage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 10:57 |
| S63 | 443 | boot code with (memory or storage) and (pin or lead) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 10:57 |

| | | | | | | |
|-----|------|---|--|-----|----|------------------|
| S65 | 251 | boot code with (memory or storage) and (pin or lead) same (connect\$3 or link\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 10:58 |
| S66 | 73 | boot code with (memory or storage) and (pin or lead) same (connect\$3 or link\$3) same (host or computer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 10:58 |
| S67 | 39 | boot code with (memory or storage) and (pin or lead) same (connect\$3 or link\$3) with (host or computer) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/19 10:58 |
| S68 | 54 | (Ipc or "low pin count") near2 protocol | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 09:12 |
| S69 | 1521 | external\$2 near3 (boot\$3 or bootstrap\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 08:52 |
| S70 | 219 | external\$2 (boot\$3 or bootstrap\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 08:52 |
| S71 | 18 | external\$2 (boot\$3 or bootstrap\$3) and (BIOS or Basic input output system) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 08:52 |
| S72 | 711 | (Ipc or "low pin count") with (advantag\$4 or benefit or cost or speed or fast\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 09:10 |

| | | | | | | |
|-----|-----|--|---|-----|----|------------------|
| S74 | 54 | (lpc or "low pin count") near2 (advantag\$4 or benefit) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 09:12 |
| S77 | 3 | (lpc or "low pin count") and S69 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 09:13 |
| S78 | 1 | "20050005076" | US-PGPUB | ADJ | ON | 2005/07/20 09:20 |
| S81 | 59 | flash faster | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 10:38 |
| S82 | 252 | (pin or lead) same (connect\$3 or link\$3) same (first memory) same (second memory) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 13:15 |
| S84 | 70 | (pin or lead) with (connect\$3 or link\$3) with ((first or primary) memory) with ((second or secondary) memory) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 13:16 |
| S85 | 7 | ((pin or lead) with (connect\$3 or link\$3) with ((first or primary) memory) with ((second or secondary) memory)) and (boot\$3 or bootstrap\$3 or BIOS or basic input output system) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 13:20 |
| S87 | 6 | (shar\$3 lead or shar\$3 pin) with (memory card or smart card or memory stick) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 13:25 |
| S88 | 6 | (shar\$3 lead or shar\$3 pin) with (memory card or smart card or memory stick or IC card) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 13:25 |

| | | | | | | |
|-----|------|--|--|-----|----|------------------|
| S89 | 6 | (shar\$3 lead or shar\$3 pin) with (SIMM card or memory card or smart card or memory stick or IC card) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 13:32 |
| S90 | 2 | (shar\$3 lead or shar\$3 pin) with (SIMM) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 13:26 |
| S91 | 45 | (shar\$3 lead or shar\$3 pin) with (memory) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 13:28 |
| S92 | 7 | (common pin or common lead) with (SIMM card or memory card or smart card or memory stick or IC card) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 13:34 |
| S93 | 3851 | (pin or lead) with (SIMM card or memory card or smart card or memory stick or IC card) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 13:35 |
| S94 | 87 | (pin or lead) with (SIMM card or memory card or smart card or memory stick or IC card) with (shared or common) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 13:58 |
| S96 | 12 | (pin or lead) with (SIMM card or DIMM card) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 13:42 |
| S97 | 1349 | (pin or lead) with (memory card) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 13:42 |

| | | | | | | |
|------|------|--|--|-----|----|------------------|
| S98 | 14 | (pin or lead) with (memory card) with (multiple memory or plurality memory) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 13:44 |
| S99 | 114 | (SIMM card) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 13:44 |
| S100 | 2398 | (SIMM or DIMM or memory card or smart card or memory stick or IC card) with (memory) with (connect\$3 or link\$3) with (CPU or processor or host) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 14:00 |
| S101 | 98 | (SIMM or DIMM or memory card or smart card or memory stick or IC card) with (memory) with (connect\$3 or link\$3) with (CPU or processor or host) with (pin or lead) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 14:03 |
| S102 | 1 | (SIMM or DIMM or memory card or smart card or memory stick or IC card) with (memory) with (connect\$3 or link\$3) with (CPU or processor or host) with (first pin or first lead) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 14:03 |
| S103 | 32 | (SIMM or DIMM or memory card or smart card or memory stick or IC card) with (memory) with (first pin or first lead) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 14:06 |
| S104 | 6 | (SIMM or DIMM or memory card or smart card or memory stick or IC card) with (memory) with (unique pin or unique lead) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 14:08 |
| S106 | 3 | (SIMM or DIMM or memory card or smart card or memory stick or IC card) with (memory) with (separate pin or separate lead) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 14:47 |

| | | | | | | |
|----------|-----|---|---|-----|----|------------------|
| S10 7 | 22 | (SIMM or DIMM or memory card or smart card or memory stick or IC card) and (memory) with (separate pin or separate lead or unique lead or unique pin) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 14:13 |
| S10 8 | 197 | (memory module) and (separate (pin or pad or lead) or unique (pin or pad or lead)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 14:14 |
| S10 9 | 10 | (memory module) with(separate (pin or pad or lead) or unique (pin or pad or lead)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 14:59 |
| S11 0 | 67 | "5913215" | USPAT | ADJ | ON | 2005/07/20 14:34 |
| S11 1 | 1 | "5913215".pn. | USPAT | ADJ | ON | 2005/07/20 14:34 |
| S11 2 | 1 | "6510503".pn. | USPAT | ADJ | ON | 2005/07/20 14:35 |
| S11 3 | 1 | "6226757".pn. | USPAT | ADJ | ON | 2005/07/20 14:39 |
| S11 4 | 1 | "5530754".pn. | USPAT | ADJ | ON | 2005/07/20 14:39 |
| S11 5 | 15 | (memory (unit or device)) with(separate (pin or pad or lead) or unique (pin or pad or lead)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 14:45 |
| S11 6 | 405 | (SIMM or DIMM or memory card or smart card or memory stick or IC card) and (separate or unique) (pin or pad or lead) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 14:55 |
| S11 7 | 14 | (SIMM or DIMM or memory card or smart card or memory stick or IC card) and (memory) near3 (separate or unique) (pin or pad or lead) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 14:51 |
| S11 8 | 1 | "20040123060" | US-PGPUB | ADJ | ON | 2005/07/20 14:51 |

| | | | | | | |
|----------|-------|---|---|-----|----|------------------|
| S12 0 | 540 | (SIMM or DIMM) with memory with (pin or lead or pad) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 14:56 |
| S12 1 | 4 | (SIMM or DIMM) with memory with (pin or lead or pad) with share\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 14:56 |
| S12 3 | 10487 | (SIMM or DIMM) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 15:01 |
| S12 4 | 238 | (SIMM or DIMM).ti. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/07/20 15:02 |